

Gramin Krishi Mausam Sewa Agricultural Research Station SK Rajasthan Agricultural University Bikaner 334 006

Phone 0151 2250018, 0151 2250570 Email: arsagrometbikaner@gmail.com



Dated:01.10.2024

Ref. No.F.(2)/Agromet/24

District: - Bikaner

Weather Forecast and Agromet Advisory

Period 01st October 2024 to 05th October 2024

Weather review of last week: During this period, the maximum temperature ranged between 36.4 to 37.7 °C and the minimum temperature ranged between 22.5 to 25.6°C. During this period, low wind speed observed with RH values of 93 % to 99%.

Weather forecast for the coming week: On the basis of the information received from the India Meteorological Department, New Delhi and Regional Meteorological Centre, Jaipur, weather for the next 5 days in Bikaner district (01.10.2024 to 05.10.2024) clear sky on 01.10.2024 to 03.10.2024 & 05.10.2024 and partially cloudy on 04.10.2024. T_{min} will possibly range between 29.0-30.0°C and the T_{max} is likely to remain between 38.0-41.0 °C. During this period, high wind velocity is likely to blow from then South-West, West-South-West and West directions.

	non dei bodii west, west bodii west and west directions.						
Weather Parameter	Date						
	01.10.2024	02.10.2024	03.10.2024	04.10.2024	05.10.2024		
Rainfall (mm)	0	0	0	0	0		
Cloud cover	Clear sky	Clear sky	Clear sky	Partially Cloudy	Clear sky		
Temperature Maximum (° C)	39	41	40	39	38		
Temperature Minimum (° C)	29	30	29	29	29		
Wind direction	WSW	SW	SW	SW	W		
Minimum Relative humidity (%)	15	16	19	22	20		
Maximum Relative humidity (%)	35	45	53	50	43		
Wind velocity(km/hr)	28	25	23	16	13		
Cumulative rains (mm)			00.00				

Agro Advisory: Based on the weather review of last week and the weather forecast for this week, the following advice is given to the farmer.

Specific advisory	Conserve every drop of water and moisture for future.
	For the control of sucking pests (jassids, white fly, thrips etc) in cotton spray acetamiprid or thiamethoxam @
	5 g/15 litre water.

Crop	Stage	Details	Agro Advisory	
Groundnut	Pegging	Insect Control	In groundnut for the management of leaf eating caterpillar spray of	
	& Pod		Indoxacarb 14.5 SC @ 0.8 ml/lit or Emamectin benzoate 5 SG @ 0.5 gm/lit	
	formation		of water found effective.	
		Disease	Prevailing and forecasted weather conditions may increase the chances of	
		management	tikka disease in groundnut. Therefore, farmers are advised to spray of	
			Mencozeb @ 2 gram per litre of water.	
Sesame	Flowering	Insect Control	In case of infestation of caterpillar infestation in crop, spray of Indoxacab	
			14.5 SC 1 ml or Emamectin Benzoate 5 SG at the rate of 0.5 gram per liter of	
			water.	
Moth/mung	Maturity	Harvesting	Harvest mothbean and mungbean crop at physiological maturity stage prior	
bean			to shattering losses.	
Special advisory			Washing powder or other additive must be added in standing crop sprays.	
Horticulture Irrigation		Irrigation	Irrigate date palm, Kinnow, orange and lemon orchards on regular interval.	
			To control fruit fly attack in ber spray of fenvalerate/dimethoate @1 ml/ liter	
			of water at pea stage of ber fruits.	
Milch animal Feeding		Feeding	Feed 20 to 50 gram mineral mixture to each milch animal according their	
			body weight to maintain health and to avoid the problems like milk fever and	
			prollapse.	

Associate Professor and Technical Officer Gramin Krishi Mausam Sewa Zonal Director Research and Nodal Officer - Gramin Krishi Mausam Sewa