

## Gramin Krishi Mausam Sewa Agricultural Research Station SK Rajasthan Agricultural University Bikaner 334 006

Phone 0151 2250018, 0151 2250570 Email: arsagrometbikaner@gmail.com



Dated:13.12.2024

Ref. No.F.(2)/Agromet/24

District: - Bikaner

## **Weather Forecast and Agromet Advisory**

Period 13th December 2024 to 17th December 2024

Weather review	v of last week: D	uring this period, the	Weather forecast for the coming week: On the basis of the information received from the India				
maximum temp	erature ranged be	etween 22.2 to 23.4	Meteorological Department, New Delhi and Regional Meteorological Centre, Jaipur, weather for the				
°C and the minimum temperature ranged between 1.0			next 5 days in Bikaner district (13.12.2024 to 17.12.2024) clear sky on 13.12.2024 to 17.12.2024.				
to 4.0°C. During this period, low wind speed observed			$T_{min}$ will possibly range between 06.0-07.0°C and the $T_{max}$ is likely to remain between 23.0-24.0 °C.				
with RH values of 69 % to 82%.			During this period high wind velocity is likely to blow coupled with very low relative humidity?				
			Wind blow from then North, North-North-East, North-Eat and East-North-East directions.				
Weather Parameter			Date				
			13.12.2024	14.15.2024	15.12.2024	16.12.2024	17.12.2024
Rainfall (mm)			0	0	0	0	0
Cloud cover			Clear sky	Clear sky	Clear sky	Clear sky	Clear sky
Temperature Maximum (° C)			23	23	24	24	24
Temperature Minimum (° C)			6	6	6	6	7
Wind direction			N	NE	ENE	NNE	NNE
Minimum Relative humidity (%)			8	7	6	7	8
Maximum Relative humidity (%)			18	17	13	14	13
Wind velocity(km/hr)			8	5	10	11	8
Cumulative rains (mm)			00.00				
Agro Advisory: Based on the weather review of last week and the weather forecast for this week, the following advice is given to the farmer.							
Specific Grain storage: Store the grain at or below 8 per cent moisture. Old gunny bags should be used after dry in sun light. Go dawn should be crad							
advisory	less and be fumi	be fumigated @3g selphos per 200 cubic fit before storing the grain then closed air tight. Go dawn should be safe from rats.					
Crop	Stage	Details	Agro Advisory				
Wheat and	Vegetative	Fertilizer and	Top dressing of 15kg urea/bigha in Wheat with first irrigation at CRI stages (20-25 DAS)				
Barley	stage	irrigation	Top dressing of 15 kg urea/bigha in barley with first irrigation (25-30 DAS).				
Chickpea	Vegetative	Irrigation	Apply first irrigation at 40-45 days after sowing.				

Irrigation Apply first irrigation at 40-45 days after sowing. Chickpea Vegetative stage Vegetative and Apply first irrigation in mustard at 25 days after sowing and also apply remaining dose of Mustard Fertilizer nitrogen @ 25 kg urea per bigha in mustard along with irrigation water. irrigation stage The upcoming weather conditions are favourable for infestation of saw fly or painted bug. On Insect control clear days apply Quinolphos 1.5% or malathion 5% dust @ 25 kg/ha during morning or evening time and repeat after 15 days if required. Improved Varieties suitable for zone 1c for cumin are GC 4, RZ -19, RZ 223, for isabgol Isabgol and Preparation Varieties and Cumin are RI 89 & GI-2. For one hectare area, use 12-20 kg/ha seed of cumin and 5 kg/ha seed of for sowing seed rate isabagol. Horticulture Fruiting Insect control Regular irrigation in ber, kinnow, pomegranate and mausambi orchards for better quality Forage To get more fodder production from the first cutting of berseem, mix the seed of Chinese cabbage or oat at the time of sowing. To sowing of oat and barseem for get good green fodder production, use the seed of OS 6, OS 9 and BL 10, BL 22 varieties, respectively. Livestock Health Continuous supply of calcium and mineral mixture to milch and breeding animals. management Deworming medicine against endo parasites to the livestock (except pregnant animal) as per guidance of registered veterinarian.

> Associate Professor and Technical Officer Gramin Krishi Mausam Sewa

Zonal Director Research and Nodal Officer - Gramin Krishi Mausam Sewa