

Gramin Krishi Mausam Sewa Agricultural Research Station SK Rajasthan Agricultural University Bikaner 334 006 Phone 0151 2250018, 0151 2250570 Email: arsagrometbikaner@gmail.com



Dated:03.01.2025

Ref. No.F.(2)/Agromet/24 District: - Bikaner

WISHING HAPPY AND PROSPEROUS NEW YEAR 2025

Weather Forecast and Agromet Advisory

Period 03th January 2025 2024 to 07th January 2025 Weather forecast for the coming week: On the basis of the information received from the India Weather review of last week: During this period, Meteorological Department, New Delhi and Regional Meteorological Centre, Jaipur, weather for the the maximum temperature ranged between 17.6 to 26.6 °C and the minimum temperature ranged next 5 days in Bikaner district (03.01.2025 to 07.05.2025) partially cloudy on 03.01.2025, overcast between 1.8 to 5.5°C. During this period, low wind on 04.01.2025 to 05.01.2025 & 07.01.2025 and cloudy on 06.01.2024. Tmin will possibly range between 09.0-11.0°C and the T_{max} is likely to remain between 22.0-25.0 °C. During this period high speed observed with RH values of 32 % to 90%. wind velocity is likely to blow coupled with very low relative humidity? Wind blow from then North-North-East, North-East East-South-East, South-South-West and North-West directions. Weather Parameter Date 03.01.2025 04.01.2025 05.01.2025 06.01.2025 07.01.2025 Rainfall (mm) 0 0 0 0 0 Cloud cover Partially Cloudy Overcast Overcast Cloudy Overcast Temperature Maximum (° C) 22 23 24 25 24 Temperature Minimum (° C) 9 10 11 11 10 Wind direction NNE ESE SSW NW NE Minimum Relative humidity (%) 10 15 10 12 17 Maximum Relative humidity (%) 21 18 32 23 17 Wind velocity(km/hr) 7 7 10 13 10 00.00 Cumulative rains (mm) Agro Advisory: Based on the weather review of last week and the weather forecast for this week, the following advice is given to the farmer. Specific advisory Control weeds wherever it found. Conserve every drop of water and moisture for future. Drive slowly during less visibility to protect lives. Stage Details Agro Advisory Crop Irrigation & In late sown wheat crop, provide the first irrigation at 20-21 DAS and top dressing of 15 Wheat Growth kg urea per bigha with irrigation water; 10 kg urea per bigha with 2nd irrigation at 35 -40 fertilizer DAS. Deficiency symptoms of zinc appear in the standing wheat crop, spray of 0.33 percent zinc Zinc deficiency sulphate (33 percent) and 2 percent urea (50 grams of zinc sulphate and 300 grams of urea per 15 liters of water) are applied after 35-40 days of sowing. Weed For the control of broad leaf weeds in wheat spray 500 gm 2, 4 - D ester salt 4 g metsulfuron methyl in 500 to 700 liters of water per hectare at 30 to 35 days of sowing in Control dwarf varieties, and after 40 to 45 days of sowing in other varieties. For the control of broad leaf weeds in barley, spray 500 gm 2, 4 - D ester salt 4 g Barley Growth Weed metsulfuron methyl in 500 to 700 liters of water per hectare at 30 to 35 days of sowing in control dwarf varieties, and after 40 to 45 days of sowing in other varieties. Mustard Vegetative White rust On appearance of early symptoms of white rust (irregular white bristles on leaves) apply 2 stage g redomil MZ per liter of water. Forage crop Growth Irrigation & Irrigate the fodder crops as oat, lucerne, berseem etc. at an interval of 15 to 20 days. Top fertilizer dress the urea @ 65-85 kg per ha in fodder oat after every cut. Horticulture Irrigation Irrigate regularly ber, kinnow and other orchards for quality fruits. Cover the new plants with munja thatches, gunny bags, non-woolen material and locally Frost management available material. Livestock All domestic animals should remain in covered and protected area during night and Cold management morning hours to protect from cold wave. Change the litter of animals timely and make arrangement of plenty of drinking water for the animals.

Zonal Director Research and Nodal Officer - Gramin Krishi Mausam Sewa